MyCube
Single lever bath mixer for exposed installation
Surfaces: **Chrome** Article Number: **71241000**

Description

product features

- projection 205 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate at 3 bar: 22 l/min
- ceramic cartridge
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- suitable for continous flow water heaters
- connection dimension: DN15
- ACS 17 ACC LY 742, valide jusqu'au 05.05.2021
- NF_375-M1-20-1
- SINTEF 1435

Technology

Product image

Scale drawing



MyCube
Single lever bath mixer for exposed installation
Surfaces: **Chrome** Article Number: **71241000**

Flowchart



MyCube
Single lever bath mixer for exposed installation
Surfaces: **Chrome** Article Number: **71241000**

Exploded Drawing

Year of production: **>11/14**



MyCube
Single lever bath mixer for exposed installation
Surfaces: **Chrome** Article Number: **71241000**

Spare part list

Year of production: **>11/14**

Pos.	Description	Article Number	PC	PU
1	handle	92224000	10	1
2	screw cover	96338000	1	1
3	flange	97406000	6	1
4	nut	97977000	9	1
5	O-Ring 32x2	98193000	1	1
6	O-ring 40x1,5	98464000	1	1
7	cartridge, assy	92730000	11	1
8	locking screw for handle	95140000	2	1
9	seal	95008000	3	1
10	diverter knob	97981000	6	1
11	sleeve	97979000	5	1
12	selector	97978000	11	1
13	aerator M24x1 (30 l/min)	92360000	4	1
14	set of nuts	96157000	8	1
15	O-ring 15x2	98163000	1	1
16	connecting thread	97220000	5	1
17	filter packing	96922000	3	1
18	escutcheon Ø 70 mm	94135000	4	1
19	set of S-unions (±12 mm)	94140000	10	1
20	noise reduction	96429000	2	1
a	set of S-unions (±32 mm)	98592000	9	1