




RED OAK NATURE

Warm caramel nuances punctuate the golden-brown hues found in this 3-strip red oak floor from the Tres Collection. The silk lacquer finish gives the floor a polished appearance bringing out the natural character of the timber. The even finish protects the wood from daily wear, without adding artificial shine.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	133NACER50KW240	Design	3-strip	Moisture	EN13183	7%±2%
EAN Code	7393969034227	Range	Kährs Avanti	content		
Surface treatment	Silk lacquer	Collection	Tres Collection	Minimun Mean Density kg/m³ >500 kg/m³		
Dimensions	2423 x 200 x 13 mm	Resandable	2-3 times	Reaction To Fire	EN13501-1	Dfl-s1
Weight per Package (kg)	24.5 kg	Natural/Stained	Natural	Formaldehyde Emission	EN717-1	E1
Area per Package (m²)	3.4 m ²	Brinell Value	3,8			
Area per pallet (m²)	0 m ²	Joint	Woodloc® 5G	Content PCP	CEN/TR14823	≤ 5 x 10-6n
Package info	Packages may contain start and stop boards.	Floor heating	Yes	Breaking Strength N/mm²	EN1533	NPD
		Warranty	20 years			
		Wear-layer material	Hardwood	Thermal EN12664 Conductivity	EN12664	0,14 W/mK
		Core material	Pine/Spruce lamella			
		Thickness (mm)	13 mm	Thermal Resistance R-Value		.09 (m2K/W)
		Installation method	Floating, Glue-down	Biological Durability	EN350-2	Class 1
				CARB2		Compliant

Other products in this collection



CERTIFICATES

Oak Abetone











Oak Lecco







Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.