



QUADRIGA

Set for concealed 2-handle thermostatic bath mixer, for Simibox Standard & Simibox Light

DIMENSIONS

Length	1 mm
Width	1 mm
Height	1 mm

Acoustic level (dB) : Group 1 (Up to 20 dB)

Application : Bath

Diverter : Manual

Diverter-flow regulator

Finish : PVD stainless steel

Flow rate (l/min - 3 bar) : 20.3

Installation type : Built-in

Net weight (kg) : 2.58

SafeTouch®


Security 38°®

Temperature selection

Type of cartridge : Thermostatic

Water and energy-saving

TECHNICAL DRAWINGS




COMPATIBLE WITH




Concealed installation unit,
recess depth of at least
102 mm, with stop valves,
supply and outlet pipes
reversible

HF574007000000



Concealed installation unit
'light', reduced recess
depth of at least 74 mm,
with stop valves

HF574037000000



Concealed installation unit
'light', reduced recess
depth of at least 74 mm,
without stop valves

HF574038000000

QUADRIGA

Clarity is a matter of form, unmistakable and timeless. It always works well, everywhere – and in particular where clearcut design is called for. Smooth surfaces joined together in a square-edged fashion; this is how this faucet crowns the washbasin, shower or bathtub. quadriga – uncompromisingly honest.

